GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

PS – PR&RD Deptt., - Allegations of irregularities in execution of Road from SD Road @ 19/0 Km to Yeguvaganjaibadra in Salur Mandal, Vizianagaram District – Disciplinary proceedings against Sri MVN Venkata Rao, the then DEE, PR, PIU SD, Salur, Vizianagaram District, under Rule 20 of the Andhra Pradesh Civil Services (Classification, Control & Appeal) Rules, 1991 – Article of Charges – Orders - Issued.

- -

PANCHAYAT RAJ AND RURAL DEVELOPMENT(VIG.I) DEPARTMENT

G.O.RT.No. 625 **Dated.27.06.2015.**

Read the following:

1. From Hon'ble Minister of Civil Aviation, GOI, D.O.VIP No.19353, Dt.24.07.2014.
2. From the DG, V&E, VR No.33(C.No.796/V&E/E2/2013), Dt.27.11.2014.

***

ORDER:

It is proposed to hold an inquiry against Sri MVN Venkata Rao, the then DEE, PR, PIU SD, Salur, Vizianagaram District, in accordance with the procedure laid down in Rule 20 of APCS(CC&A) Rules, 1991.

2. The substance of the imputations of misconduct or misbehaviour in respect of which the inquiry is proposed to be held is set out in the enclosed statement of article of charges (Annexure-I). A list of documents by which, and a list of witnesses by whom, the articles of charge are proposed to be sustained are also enclosed (Annexure II and III).

3. Sri MVN Venkata Rao, the then DEE, PR, PIU SD, Salur, Vizianagaram District, is directed to submit a Written statement of his defence within 10 days of the receipt of this order.

4. Sri MVN Venkata Rao, the then DEE, PR, PIU SD, Salur, Vizianagaram District, is informed that an inquiry will be held only in respect of those articles of charge as are not admitted. He should, therefore, specifically admit or deny each article of charge.

5. Sri MVN Venkata Rao, the then DEE, PR, PIU SD, Salur, Vizianagaram District, is further informed that if he does not submit his written statement of defence on or before the date specified in para 3 above or otherwise fails or refuses to comply with the provisions of Rule 20 of APCS (CC&A) Rules, 1991 or the orders/directions issued in pursuance of the said rules, the Inquiring Authority may hold the inquiry against him ex parte.

6. Attention of Sri MVN Venkata Rao, the then DEE, PR, PIU SD, Salur, Vizianagaram District, is invited to Rule 24 of the APCS(Conduct) Rules, 1964, under which no Government servant shall bring or attempt to bring any political or outside influence to bear upon any superior authority to further his interest in respect of matter pertaining to his service under the Govt., If any representation is received on his behalf from another person in respect of any matter dealt with these proceedings it will be presumed that Sri MVN Venkata Rao, the then DEE, PR, PIU SD, Salur, Vizianagaram District, is aware of such a representation and that it has been made at his instance and action will be taken against him for violation of rule 24 of APCS(Conduct) Rules, 1964.

7. The receipt of the order be acknowledgment.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

Dr.K.S.JAWAHAR REDDY
SECRETARY TO GOVERNMENT

To
Sri MVN Venkata Rao, the then DEE, PR, PIU SD, Salur, Vizianagaram District, **through** Engineer-in-Chief, PR, A.P., Hyderabad.

- PTO -

The ENC, PR, A.P., Hyderabad. (with a request to serve the charges to the individual and furnish a served copy to Govt.,)
SF/SC.

//FORWARDED::BY::ORDER//

SECTION OFFICER

ANNEXURE – I

Statement showing the Article of Charges against Sri MVN Venkata Rao, Deputy Executive Engineer, PR, Vizianagaram Dist.

CHARGE:

That MVN Venkata Rao , Dy Executive Engineer, PR, PRI SD, Salur, Vizianagaram District has Committed certain Irregularities , Executed the work With Inferior Quality Of CC Pavement and Bitumen Layer and check measured and recommended 1St and part bill in Advance to execution and without supplementary Agreement and Body wall of pipe culvert dismantled after making Payment for the same.

BASIS:

GA (V&E) Dept, in their V&E Report no 33(C.NO.796/V&E/E2/2013) DT 27.11.2014 reported that he executed the work With Inferior Quality Of CC Pavement and Bitumen Layer and check measured and recommended 1St and part bill in Advance to Execution and without supplementary Agreement and Body wall of pipe culvert dismantled after making Payment for the same.

GA (V&E) Dept, in their V&E Report no 33(C.NO.796/V&E/E2/2013) DT 27.11.2014 of V&E Dept., recommended Major Disciplinary Action,

Hence the Charge.

Dr.K.S.JAWAHAR REDDY
SECRETARY TO GOVERNMENT

//FORWARDED::BY::ORDER//

SECTION OFFICER

Annexure-II

List of documents for which the articles of charges framed against Sri MVN Venkata Rao, Deputy Executive Engineer, PR, Vizianagaram Dist are proposed to be sustained

V&E Report No 33(C.NO.796/V&E/E2/2013) of GA (V&E) Dept.,

Dt.27.11.2014

Dr.K.S.JAWAHAR REDDY
SECRETARY TO GOVERNMENT

//FORWARDED::BY::ORDER//

SECTION OFFICER

Annexure III

List of witnesses by whom the articles of charges framed against Sri MVN Venkata Rao, Deputy Executive Engineer, PR, Vizianagaram Dist are proposed to be sustained

- **NIL -**

Dr.K.S.JAWAHAR REDDY
SECRETARY TO GOVERNMENT

//FORWARDED::BY::ORDER//

SECTION OFFICER